INTERNATIONAL JOURNAL OF
REMOTE SENSING

An official journal of the
Remote Sensing Society

VOLUME 22 2001

Typeset, printed and bound in Great Britain by
The Charlesworth Group, Huddersfield, 01484 517077

CONTENTS OF VOLUME 22

NUMBER 1

Cover. A new frontier of remote sensing from IKONOS images **S. Tanaka and T. Sugimura** 1

Editorial **A. P. Cracknell** 7

Physical decoupling of the GOES daytime 3.9 μm channel thermal emission and solar reflection components using total solar eclipse data **S. D. Miller** 9

Technical note. Impacts of collocation window on the accuracy of altimeter/buoy wind-speed comparison—a simulation study **G. Chen and H. Lin** 35

The spatial structure of the Mediterranean Sea winds revealed by ERS-1 scatterometer **S. Zecchetto and C. Cappa** 45

Evaluation of C-band SAR data for wetlands mapping **N. Baghdadi, M. Bernier, R. Gauthier and I. Neeson** 71

Mapping, monitoring and conservation of Harike wetland ecosystem, Punjab, India, through remote sensing **R. Chopra, V. K. Verma and P. K. Sharma** 89

Ship-borne measurements of ocean colour: development of a CCD-based reflectance radiometer and trials on a longitudinal transect of the Atlantic Ocean **P. Wood and A. Cunningham** 99

Derivation and optimization of a new Antarctic sea-ice record **E. Hanna and J. Bamber** 113

Indian Ocean Rossby waves observed in TOPEX/POSEIDON altimeter data and in model simulations **B. Subrahmanyam, I. S. Robinson, J. R. Blundell and P. G. Challenor** 141

Optical polarization to improve discrimination capability of remote sensing: a laboratory study **R. Chandra and V. M. Bothle** 169

Remote Sensing Letters

A method to estimate tree trunk diameter and its application to discriminate Java-Indonesia tropical forests **J. Tetuko S. S., R. Tateishi and K. Wikantika** 177

Simulations for optimal payload tilt to avoid sunglint in IRS-P4 Ocean Colour Monitor (OCM) data around the Indian subcontinent **M. Mohan and P. Chauhan** 185

The 7 September 1999 Athens 5.9 Ms earthquake: remote sensing and digital elevation model inputs towards identifying the seismic fault **A. Ganas, G. Papadopoulos and S. B. Pavlides** 191

NUMBERS 2 & 3

Algal Blooms Detection, Monitoring and Prediction

Cover. The detection and mapping of algal blooms from space **S. J. Lavender and S. B. Groom** 197

Editorial **A. P. Cracknell, D. G. Bowers and S. K. Newcombe** 203

The ABDMAP (Algal Bloom Detection, Monitoring and Prediction) Concerted Action **A. P. Cracknell, S. K. Newcombe, A. F. Black and N. E. Kirby** 205

Remote sensing of phytoplankton pigments: a comparison of empirical and theoretical approaches **S. Sathyendranath, G. Cota, V. Stuart, H. Maass and T. Platt** 249

Non-isotropy of the upward radiance field in typical coastal (Case 2) waters **H. Loisel and A. Morel** 275

Correction of bottom influence in ocean colour satellite images of shallow water areas of the Baltic Sea **T. Ohde and H. Siegel** 297

The identification of phytoplankton pigments from absorption spectra **R. Aguirre-Gómez, A. R. Weeks and S. R. Boxall** 315

Optical monitoring of phytoplankton blooms in Loch Striven, a eutrophic fjord **P. Tett, G. M. Kennaway, D. Boon, D. K. Mills, G. T. O'Connor, A. W. Walne and R. Wilton** 339

On the calibration and use of *in situ* ocean colour measurements for monitoring algal blooms **D. G. Bowers, S. Kratzer, J. R. Morrison, P. S. D. Smith, P. Tett, A. W. Walne and K. Wild-Allen** 359

Differential lidar fluorosensor system used for phytoplankton bloom and seawater quality monitoring in Antarctica **R. Barbini, F. Colao, R. Fantoni, A. Palucci and S. Ribezzo** 369

Spectroscopic lidar sensing in three-dimensional profiling of marine organics **A. E. Dudelzak, S. M. Babichenko, L. Poryvkina and P. Wassmann** 385

Variability of *Chlorella* sp. fluorescence in response to different nitrogen conditions **S. Babichenko, A. Leeben, L. Poryvkina, A. Shalapyonok and J. Seppälä** 403

Continuous measurements of chlorophyll-*a* concentration in the Pacific Ocean by shipborne laser fluorometer and radiometer: comparison with SeaWiFS data **O. A. Bukin, A. N. Pavlov, M. S. Permyakov, A. Yu. Major, O. G. Konstantinov, A. V. Maleenok and S. A. Ogay** 415

An assessment of validation techniques for estimating chlorophyll-*a* concentration from airborne multispectral imagery **A. M. Matthews, A. G. Duncan and R. G. Davison** ... 429

Error assessment of validation techniques for estimating suspended particulate matter concentration from airborne multispectral imagery **A. M. Matthews, A. G. Duncan and R. G. Davison** 449

Detection of offshore plankton blooms with AVHRR and SAR imagery **J. Svejkovsky and J. Shandley** 471

Determination of chlorophyll concentration changes in Lake Garda using an image-based radiative transfer code for Landsat TM images **P. A. Brivio, C. Giardino and E. Zilioli** 487

NUMBER 4

Cover. New possibilities of regional assessment of tropical forest cover in insular Southeast Asia using SPOT-VEGETATION satellite image mosaics **H-J. Stibig, J. P. Malingreau and R. Beuchle** 503

Vegetation classification by satellite image processing in a dry area of north-eastern Syria **M. Hirata, N. Koga, H. Shinjo, H. Fujita, G. Gintzburger and A. Miyazaki** 507

A GIS based analysis of data from Landsat TM, airborne geophysical measurements, and digital maps for geological remote sensing in the Stockholm region, Sweden **B. Lundén, G. Wang and K. Wester** 517

Monitoring fire-affected areas using Thematic Mapper data **F. J. García-Haro, M. A. Gilabert and J. Meliá** 533

Use of topographic correction in Landsat TM-based forest interpretation in Nepal **T. Tokola, J. Sarkeala and M. van der Linden** 551

Improvement of classification in urban areas by the use of textural features: the case study of Lucknow city, Uttar Pradesh **M. A. Shaban and O. Dikshit** 565

Land use classification with textural analysis and the aggregation technique using multi-temporal JERS-1 L-band SAR images **T. Kurosu, S. Yokoyama, M. Fujita and K. Chiba** 595

Fully-fuzzy supervised classification of sub-urban land cover from remotely sensed imagery: statistical and artificial neural network approaches **J. Zhang and G. M. Foody** 615

Improvement of remotely sensed low spatial resolution images by back-propagated neural networks using data fusion techniques **M. del Carmen Valdes and M. Inamura** 629

Land surface air temperature mapping using TOVS and AVHRR **V. Lakshmi, K. Czajkowski, R. Dubayah and J. Susskind** 643

Surface reflected signals from the Global Positioning System for ionospheric measurements: experimental results at aircraft altitudes **S. J. Katzberg and J. L. Garrison** 663

Remote Sensing Letters

Burned area in Kalimantan, Indonesia mapped with NOAA-AVHRR and Landsat TM imagery **D. O. Fuller and M. Fulk** 691

Deriving the operational nonlinear multichannel sea surface temperature algorithm coefficients for NOAA-15 AVHRR/3 **X. Li, W. Pichel, E. Maturi, P. Clemente-Colón and J. Sapper** 699

Three-dimensional X-band SAR imaging of a small conifer tree **K. Morrison, J. C. Bennett, G. Cookmartin, A. J. McDonald, A. Race and S. Quegan** 705

NUMBER 5

Cover. Abrupt and periodic shifts in a marsh location and their impact on biodiversity and farming activities in Shompole, Kenya **E. F. Lambin and B. Mertens** 711

Classification of seasonal images for monitoring irrigated crops in a salinity-affected area of Australia **M. Abuzar, A. McAllister and M. Morris** 717

Use of airborne video data for the characterization of tropical savannas in northern Australia: the optimal spatial resolution for remote sensing applications **C. H. Menges, G. J. E. Hill and W. Ahmad** 727

Assessment of vegetation indexes useful for browse (forage) prediction in semi-arid rangelands **N. Moleele, S. Ringrose, W. Arnberg, B. Lunden and C. Vanderpost** 741

A multi-scale technique for detecting forest-cover boundary from L-band SAR images **Q. X. Wu and H. C. North** 757

Normalization of Landsat thermal imagery for the effects of solar heating and topography **T. A. Warner and X. Chen** 773

Appraising the anatomy and spatial growth of the Bangkok Metropolitan area using a vegetation-impervious-soil model through remote sensing **B. Babu Madhavan, S. Kubo, N. Kurisaki and T. V. L. N. Sivakumar** 789

Analysing potential cliff erosivity from ERS SAR satellite imagery **N. Manspeizer, A. Karnieli, Y. Arkin and J. Chorowicz** 807

Post-emplacement lava subsidence and the accuracy of ERS InSAR digital elevation models of volcanoes **N. F. Stevens, G. Wadge and C. A. Williams** 819

A procedure for the correction of the effect of variation in incidence angle on AIRSAR data **C. H. Menges, J. J. Van Zyl, G. J. E. Hill and W. Ahmad** 829

Ocean feature detection using altimetry backscatter: the Gulf Stream **B. J. Topliss, M. Stepanzcak, H. M. Snaith, P. Challenor and T. H. Guymer** 843

Technical note. Development of a new technique for geological investigation using DTM data: an example in western Turkey **A. Ü. Akman, T. Sanga, E. Narui and N. Oikawa** 851

Information fusion in tree classifiers **A. S. Kumar and K. L. Majumder** 861

Improving the accuracy of low-cost GPS measurements for remote sensing applications **W. G. Rees** 871

Remote Sensing Letters

Investigation of erosion on Hope Island using IRS-1D LISS-III data **N. K. Tripathi and A. M. Rao** 883

Fractality in broken clouds and the scan geometry of new satellite-borne infrared sensors **C. Pietrapertosa, V. Cuomo, N. Pergola, C. Serio, V. Tramutoli and H. Shimoda** 889

Effects of environmental spatial variability on the differences between NOAA-AVHRR LAC and GAC NDVI data **F. Rembold, F. Maselli and P. Rossini** 895

Comparison of the use of WiFS and LISS images to estimate the area burned in a large forest fire **A. Vázquez, J. M. Cuevas and F. González-Alonso** 901

Application of a colour classification method to quantify the constituents of coastal waters from *in situ* reflectances sampled at satellite sensor wavebands **F. Lahet, P. Forget and S. Ouillon** 909

NUMBER 6

Cover. Thermal variation in the Israel-Sinai (Egypt) peninsula region **Z. Qin, A. Karnieli and P. Berliner** 915

Data fusion for investigating land subsidence and coal fire hazards in a coal mining area **A. Prakash, E. J. Fielding, R. Gens, J. L. van Genderen and D. L. Evans** 921

Detecting coal fires with a neural network to reduce the effect of solar radiation on Landsat Thematic Mapper thermal infrared images **W. Deng, Y. Q. Wan and R. C. Zhao** 933

Automated high temporal resolution, thermal analysis of Kilauea volcano, Hawai'i, using GOES satellite data **A. J. L. Harris, E. Pilger, L. P. Flynn, H. Garbeil, P. J. Mouginis-Mark, J. Kauahikaua and C. Thornber** 945

Cloud top temperature based precipitation intensity estimation using INSAT-1D data **J. K. Mishra and O. P. Sharma** 969

Typology of atoll rims in Tuamotu Archipelago (French Polynesia) at landscape scale using SPOT HRV images **S. Andréfouët, M. Claereboudt, P. Matsakis, J. Pagès and P. Dufour** 987

Application of NOAA-AVHRR NDVI time-series data to assess changes in Saudi Arabia's rangelands **E. Weiss, S. E. Marsh and E. S. Pfirman** 1005

A flexible approach for woody cover assessment from SPOT HRV XS data in semi-arid West Africa. Application in northern Burkina Faso **P. Couteron, M. Deshayes and C. Roches** 1029

A TM-based hardwood-conifer mixture index for closed canopy forests in the Oregon Coast Range **T. K. Maiersperger, B. Cohen and L. M. Ganio** 1053

Improving the estimation of noise from NOAA AVHRR NDVI for Africa using geostatistics **A. Chappell, J. W. Seaquist and L. Eklundh** 1067

Exemplifying the theory of evidence in remote sensing image classification **P. Mertikas and M. E. Zervakis** 1081

Review article: Elevation modelling from satellite visible and infrared (VIR) data **Th. Toutin** 1097

A simplified method for retrieval of ground level reflectance of targets from airbourne video imagery **A. Edirisinghe, G. E. Chapman and J. P. Louis** 1127

Book reviews 1143

Books received 1147

Remote Sensing Letters

A SeaWiFS global monthly coarse-resolution reflectance dataset **E. F. Vermote, C. O. Justice, J. Descloitres, N. El Saleous, D. P. Roy, J. Ray, B. Margerin and L. Gonzalez** 1151

A test of detecting spring leaf flush within the Alaskan boreal forest using ERS-2 and Radarsat SAR data **D. L. Verbyla** 1159

NUMBER 7

Cover. A high-resolution satellite image of archaeological features to the south of Stonehenge **M. J. F. Fowler** 1167

Use of conditional probability networks for environmental monitoring **H. T. Kiiveri, P. Caccetta and F. Evans** 1173

Multifractals and resolution-independent remote sensing algorithms: the example of ocean colour **S. Lovejoy, D. Schertzer, Y. Tessier and H. Gaonac'h** 1191

Sunflower biomass estimation using a scattering model and a neural network algorithm **F. del Frate and L.-F. Wang** 1235

Influence of atmospheric correction on the estimation of biophysical parameters of crop canopy using satellite remote sensing **H. Rahman** 1245

Improved calibration coefficients for NOAA-14 AVHRR visible and near-infrared channels **W. R. Tahnk and J. A. Coakley, Jr** 1269

Validation of coastal sea and lake surface temperature measurements derived from NOAA/AVHRR data **X. Li, W. Pichel, P. Clemente-Colón, V. Krasnopolsky and J. Sapper** 1285

Estimation of urban vegetation abundance by spectral mixture analysis **C. Small** 1305

Crop discrimination with multitemporal SPOT/HRV data in the Saga Plains, Japan **T. Murakami, S. Ogawa, N. Ishitsuka, K. Kumagai and G. Saito** 1335

Cloud detection for the Far East region using NOAA AVHRR images **W-H. Lee, J-I. Kudoh and S. Makino** 1349

Alignment of mountain lee waves viewed using NOAA AVHRR imagery, MST radar, and SAR **R. M. Worthington** 1361

Book reviews 1375

Remote Sensing Letters

Global monitoring of interannual changes in vegetation activities using NDVI and its relationships to temperature and precipitation **A. Kawabata, K. Ichii and Y. Yamaguchi** 1377

Change analysis using IRS-P4 OCM data after the Orissa super cyclone **S. N. Kundu, A. K. Sahoo, S. Mohapatra and R. P. Singh** 1383

Wind and cloud cover effects on spectral measurements of flooded rice crops in red and near-infrared SPOT-HRV bands **B. Leblon, M. Guérif and A. La Rocque** 1391

NUMBER 8

Cover. Mapping informal settlements using high resolution satellite imagery **P. M. Dare and C. S. Fraser** 1399

Movements of migrating green turtles in relation to AVHRR derived sea surface temperature **G. C. Hays, M. Dray, T. Quaife, T. J. Smyth, N. C. Mironnet, P. Luschi, F. Papi and M. J. Barnsley** 1403

HyMap hyperspectral remote sensing to detect hydrocarbons **B. Hörig, F. Kühn, F. Oschütz and F. Lehmann** 1413

Optimization at multi-spectral land cover classification with fuzzy clustering and the Kohonen feature map **A. Poth, D. Klaus, M. Voß and G. Stein** 1423

Monitoring urban expansion with remote sensing in China **C. Y. Ji, Q. Liu, D. Sun, S. Wang, P. Lin and X. Li** 1441

Land-cover change analysis of China using global-scale Pathfinder AVHRR Landcover (PAL) data, 1982–92 **S. S. Young and C. Y. Wang** 1457

Land-cover classification methods for multi-year AVHRR data **S. Liang** 1479

Gain of the AVHRR visible channel as tracked using bidirectional reflectance of Antarctic and Greenland snow **S. J. Masonis and S. G. Warren** 1495

Daily net radiation estimated from air temperature and NOAA-AVHRR data: a case study for the Iberian Peninsula **E. Hurtado and J. A. Sobrino** 1521

An efficient neural classification chain of SAR and optical urban images **P. Gamba and B. Houshmand** 1535

Performance analysis of textural features for characterization and classification of SAR images **K. Rajesh, C. V. Jawahar, S. Sengupta and S. Sinha** 1555

Multitemporal monitoring of soil moisture with RADARSAT SAR during the 1997 Southern Great Plains hydrology experiment **A. J. Wickel, T. J. Jackson and E. F. Wood** 1571

Decorrelation of SAR data by urban damages caused by the 1995 Hyogoken-nanbu earthquake **C. Yonezawa and S. Takeuchi** 1585

Remote Sensing Letters

Relationship between green leaf biomass volumetric density and ERS-2 SAR backscatter of four vegetation formations in the semi-arid zone of Israel **T. Svoray, M. Shoshany, P. J. Curran, G. M. Foody and A. Perevolotsky** 1601

Estimating bidirectional angles in NOAA AVHRR images **Z. Niu, C. Wang, W. Wang, Q. Zhang and S. S. Young** 1609

NUMBER 9

Cover 1617

A comparison of visual observations of surface oil with Synthetic Aperture Radar imagery of the *Sea Empress* oil spill **B. Jones** 1619

Colour classification of coastal waters of the Ebro river plume from spectral reflectances **F. Lahet, S. Ouillon and P. Forget** 1639

A spectral analysis of bottom-induced variation in the colour of Sand Hills lakes, Nebraska, USA **M. A. Lodhi and D. C. Rundquist** 1665

Algorithme de simulation du signal des masses d'eau côtières au niveau des capteurs satellitaires à haute résolution spatiale fondé sur le code atmosphérique 6S **A. Lavoie, F. Cavayas et J.-M. M. Dubois** 1683

Quantitative dynamic flood monitoring with NOAA AVHRR **Y. Sheng, P. Gong and Q. Xiao** 1709

Automatic registration of SeaWiFS and AVHRR imagery **Z. Mao, D. Pan, H. Huang and W. Huang** 1725

A remote sensing approach to determine environmental flows for wetlands of the Lower Darling River, New South Wales, Australia **M. Shaikh, D. Green and H. Cross** 1737

Characterization of landscape patterns of deforestation in tropical rain forests **J. Imbernon and A. Branthomme** 1753

Spectral and biophysical relationships of montane sagebrush communities in multi-temporal SPOT XS data **M. Jakubauskas, K. Kindscher and D. Debinski** 1767

Mapping successional boreal forests in interior central Alaska **S. L. Ustin and Q. F. Xiao** 1779
Evaluation of a new satellite-based method for forest fire detection **V. Cuomo, R. Lasaponara and V. Tramutoli** 1799
Tree architecture in remote sensing analytical models: The Bray experiment **I. Champion, A. Porte, D. Bert, D. Loustau, M. Guedon, F. Jean-Courdier, F. Lagane, C. Lambrot, A. Lardit and M. Sartore** 1827

NUMBER 10

Cover 1845
NDVI anomaly patterns over Africa during the 1997/98 ENSO warm event **A. Anyamba, C. J. Tucker and J. R. Eastman** 1847
Exploring spatial and temporal variation in middle infrared reflectance (at 3.75 μm) measured from the tropical forests of west Africa **D. S. Boyd and W. J. Duane** 1861
Influence of desert varnish on the reflectance of gossans in the context of Landsat TM data, southern Red Sea Hills, Sudan **N. H. Kenea** 1879
Biological mechanisms underlying recent increases in the NDVI of Mediterranean shrublands **C. P. Osborne and F. I. Woodward** 1895
Mapping land use/cover distribution on a mountainous tropical island using remote sensing and GIS **S. M. J. Baban and K. W. Yusof** 1909
Mapping sedimentary and volcanic units within and surrounding Petrified Forest National Park, Arizona, using Landsat-5 and SPOT panchromatic data **K. Mickus and E. Johnson** 1919
Forest change monitoring of a remote biosphere reserve **S. A. Sader, D. J. Hayes, J. A. Hepinstall, M. Coan and C. Soza** 1937
Comparison of TAMSAT and CPC rainfall estimates with raingauges, for southern Africa **V. Thorne, P. Coakeley, D. Grimes and G. Dugdale** 1951
Latent heat flux at the sea surface retrieved from combined TMI and VIRS measurements of TRMM **P. Schlüssel and A. Albert** 1975
A remote sensing–GIS evaluation of urban expansion and its impact on surface temperature in the Zhujiang Delta, China **Q. Weng** 1999
Burned area mapping system and fire detection system, based on neural networks and NOAA-AVHRR imagery **K. R. Al-Rawi, J. L. Casanova and A. Calle** 2015
IFEMS: a new approach for monitoring wildfire evolution with NOAA-AVHRR imagery **K. R. Al-Rawi, J. L. Casanova and A. Romo** 2033

NUMBER 11

Cover 2043
Surface hydrothermal alteration mapping at Vulcano Island using MIVIS data **F. Mazzarini, M. T. Pareschi, A. Sbrana, M. Favalli and P. Fulignati** 2045
Spatial dispersion of aerial plankton over east-central Florida: aeolian transport and coastline concentrations **R. W. Russell and J. W. Wilson** 2071
Satellite remote sensing of submerged kelp beds on the Atlantic coast of Canada **É. L. Simms and J.-M. M. Dubois** 2083
Hydrologic response of a watershed to land use changes: a remote sensing and GIS approach **T. Sharma, V. Satya Kiran, T. P. Singh, A. V. Trivedi and R. R. Navalgund** 2095
Rapidly assessing the 1997 drought in Papua New Guinea using composite AVHRR imagery **T. R. McVicar and P. N. Bierwirth** 2109

Investigating the potential for soil moisture and surface roughness monitoring in drylands using ERS SAR data **K. J. Tansey and A. C. Millington** 2129

A new histogram quantization algorithm for land cover mapping **J. Cihlar, G. Okouneva, J. Beaubien and R. Latifovic** 2151

Characterizing land surface anisotropy from AVHRR data at a global scale using high performance computing **S. N. V. Kalluri, Z. Zhang, J. Jájá, S. Liang and J. R. G. Townshend** 2171

A spectral based recognition of the urban environment using the visible and near-infrared spectral region (0.4–1.1 μm). A case study over Tel-Aviv, Israel **E. Ben-Dor, N. Levin and H. Saaroni** 2193

Visible–infrared and radar imagery fusion for geological application: a new approach using DEM and sun-illumination model **E. Ricchetti** 2219

Radarsat investigation of a circular feature in east central Jordan **G. Abdelhamid** 2231

NUMBER 12

Cover. Landsat TM principal components analysis of Oman **R. Harris** 2241

Linear regression modelling for the estimation of oil palm age from Landsat TM **J. McMorrow** 2243

Forest fire analysis with remote sensing data **F. Sunar and C. Özkan** 2265

Modelling forest cover attributes as continuous variables in a regional context with Thematic Mapper data **W. B. Cohen, T. K. Maiersperger, T. A. Spies and D. R. Oetter** 2279

Statistical analysis of soil colour and spectroradiometric data for hyperspectral remote sensing of soil properties (example in a southern Italy Mediterranean ecosystem) **A. P. Leone and R. Escadafal** 2311

Spectroscopic determination of wheat water status using 1650–1850 nm spectral absorption features **Q. Tian, Q. Tong, R. Pu, X. Guo and C. Zhao** 2329

Segmentation of high-resolution InSAR data of a tropical forest using Fourier parameterized deformable models **C. Varekamp and D. H. Hoekman** 2339

Sensitivity of space-borne SAR data to forest parameters over sloping terrain. Theory and experiment **T. Castel, A. Beaudoin, N. Stach, N. Stussi, T. Le Toan and P. Durand** 2351

Review article. Using remote sensing to assess biodiversity **H. Nagendra** 2377

Study of crop growth parameters using Airborne Imaging Spectrometer data **N. K. Patel, C. Patnaik, S. Dutta, A. M. Shekh and A. J. Dave** 2401

The interferometric cartwheel: a constellation of passive satellites to produce radar images to be coherently combined **D. Massonnet** 2413

Post-launch calibration of the visible channel of the High Resolution Infrared Radiation Sounder (HIRS) on the NOAA-14 spacecraft **C. R. N. Rao, J. T. Sullivan and N. Zhang** 2431

NUMBER 13

Cover. Impacts of reservoirs on groundwater and vegetation: a study based on remote sensing and GIS techniques **A. K. Saraf, P. R. Choudhary, B. Sarma and P. Ghosh** 2439

AVHRR analysis of a savanna site through a fire season in Brazil **H. França and A. W. Setzer** 2449

Land surface change detection in a desert area in Algeria using multi-temporal ERS SAR coherence images **J. G. Liu, A. Black, H. Lee, H. Hanaizumi and J. McM. Moore** 2463

Assessing the potential of VEGETATION sensor data for mapping snow and ice cover: a Normalized Difference Snow and Ice Index **X. Xiao, Z. Shen and X. Qin** 2479

Flood boundary delineation from Synthetic Aperture Radar imagery using a statistical active contour model **M. S. Horritt, D. C. Mason and A. J. Luckman** 2489

A model comparison study to the imaging of submarine reefs with synthetic aperture radar **J. Vogelzang** 2509

Cumulative probability noise analysis in geophysical spectral records **M. L. Heron and S. F. Heron** 2537

Genetic classifiers for remotely sensed images: comparison with standard methods **S. K. Pal, S. Bandyopadhyay and C. A. Murthy** 2545

The use of NWP model surface temperatures in cloud detection from satellite **A. Feijt and P. De Valk** 2571

Improved cloud detection in AVHRR daytime and night-time scenes over the ocean **J. J. Simpson, T. J. McIntire, J. R. Stitt and G. L. Hufford** 2585

Book reviews 2617

Remote Sensing Letters

Application of altimeter observation to El Niño prediction **D. Chen** 2621

Texture analysis of IKONOS panchromatic data for Douglas-fir forest age class separability in British Columbia **S. E. Franklin, M. A. Wulder and G. R. Gerylo** 2627

Monitoring land-cover changes in West Africa with SPOT Vegetation: impact of natural disasters in 1998–1999 **F. Lupo, I. Reginster and E. F. Lambin** 2633

An evaluation of different bi-spectral spaces for discriminating burned shrub-savannah **S. Trigg and S. Flasse** 2641

Filtering Pathfinder AVHRR Land NDVI data for Australia **J. L. Lovell and R. D. Graetz** 2649

Erratum 2655

NUMBER 14

Cover. 2659

DMSP-OLS estimation of tropical forest area impacted by surface fires in Roraima, Brazil: 1995 versus 1998 **C. D. Elvidge, V. R. Hobson, K. E. Baugh, J. B. Dietz, Y. E. Shimabukuro, T. Krug, E. M. L. M. Novo and F. R. Echavarria** 2661

Application of vertical skyward wide-angle photography and airborne video data for phenological studies of beech forests in the German Alps **P. Pellikka** 2675

Assessment of environmental impacts of river basin development on the riverine forests of eastern Kenya using multi-temporal satellite data **J. K. Maingi and S. E. Marsh** 2701

Textural analysis of high resolution imagery to quantify bush encroachment in Madikwe Game Reserve, South Africa, 1955–1996 **A. T. Hudak and C. A. Wessman** 2731

Tropical forest mapping from coarse spatial resolution satellite data: production and accuracy assessment issues **F. Achard, H. Eva and P. Mayaux** 2741

Thinning-caused change in reflectance of ground vegetation in boreal forest **T. Nilson, H. Olsson, J. Anniste, T. Lükk and J. Praks** 2763

Stem volume estimation in boreal forests using ERS-1/2 coherence and SPOT XS optical data **J. E. S. Fransson, G. Smith, J. Askne and H. Olsson** 2777

Measurement of oak tree density with Landsat TM data for estimating biogenic isoprene emissions in Tennessee, USA **W. Baugh, L. Klinger, A. Guenther and C. Geron** 2793

Analysis of ERS SAR coherence images acquired over vegetated areas and urban features **D. J. Weydahl** 2811

Book Reviews 2831

Remote Sensing Letters

Monitoring fire danger of northern boreal forests with NOAA-AVHRR NDVI images **B. Leblon, M. Alexander, J. Chen and S. White** 2839

Observations of concentric ring clouds west of Australia **A. J. Prata, P. G. Baines and P. C. Tildesley** 2847

Sub-pixel land cover mapping for per-field classification **P. Aplin and P. M. Atkinson** 2853

Announcement 2859

Access to the electronic edition of the *International Journal of Remote Sensing* 2860

Errata 2861

NUMBER 15

Cover. Phytoplankton distribution in the Arabian Sea using IRS-P4 OCM satellite data **R. K. Sarangi, P. Chauhan, M. Mohan, S. R. Nayak and R. R. Navalgund** 2863

Detecting photosynthetic algar pigments in natural populations using a high-spectral-resolution spectroradiometer **R. Aguirre-Gomez, S. R. Boxall and A. R. Weeks** 2867

Reflectance properties of hydrographically and optically stratified fjords (Scottish sea lochs) during the Spring diatom bloom **A. Cunningham, P. Wood and K. Jones** 2885

Multi-sensor remote sensing of eddy-induced upwelling in the southern coastal region of Sicily **F. Askari** 2899

Vegetation mapping of a tropical freshwater swamp in the Northern Territory, Australia: a comparison of aerial photography, Landsat TM and SPOT satellite imagery **K. R. Harvey and G. J. E. Hill** 2911

A note on removing elastic ocean tide from the TOPEX/POSEIDON data **C. A. S. França, I. Wainer and A. R. de Mesquita** 2927

The calculation of the distribution of the Sun glitter radiance on the ocean surface by observing from a geostationary orbit **R. Gardashov and M. C. Barla** 2939

Derivation and validation of the seasonal thermal structure of Lake Malawi using multi-satellite AVHRR observations **M. Wooster, G. Patterson, R. Loftie and C. Sear** 2953

The Bathymetry Assessment System: efficient depth mapping in shallow seas using radar images **C. J. Calkoen, G. H. F. M. Hesselmans, G. J. Wensink and J. Vogelzang** 2973

An assessment of natural and human-induced changes along Hurghada and Ras Abu Soma coastal area, Red Sea, Egypt **H. I. El-Gamily, S. Nasr and M. El-Raey** 2999

Radar backscatter coefficients and snow detectability for upland terrain in Scotland **W. G. Rees and A. M. Steel** 3015

An operational, real-time cloud detection scheme for use in the Antarctic based on AVHRR data **J. Turner, G. J. Marshall and R. S. Ladkin** 3027

Remote Sensing Letters

On automatic cloud detection over ocean **O. Kärner and L. Di Girolamo** 3047

Updated calibration coefficients for NOAA-14 AVHRR Channels 1 and 2 **W. R. Tahnk and J. A. Coakley, Jr** 3053

NUMBER 16

Cover. 3059

Census from Heaven: an estimate of the global human population using night-time satellite imagery **P. Sutton, D. Roberts, C. Elvidge and K. Baugh** 3061

Exploring relationships between ENSO and vegetation vigour in the south-east USA using AVHRR data **J. Mennis** 3077

A genetic algorithm to simultaneously retrieve land surface roughness and soil wetness **Y.-Q. Jin and Y. Wang** 3093

Mapping fire-induced vegetation depletion in the Peloncillo Mountains, Arizona and New Mexico **J. Rogan and S. R. Yool** 3101

An integrated approach to land cover classification: an example in the Island of Jersey **G. M. Smith and R. M. Fuller** 3123

A method of exploiting spatial information for improving classification rules: application to the construction of polygon-based land cover maps **B. M. Steele and R. L. Redmond** 3143

A multi-temporal masking classification method for vineyard monitoring in central Spain **S. Lanjeri, J. Meliá and D. Segarra** 3167

Synergistic use of orbital satellite image and ground-based information in environmental monitoring of railway alignment construction—a case study **B. Rajaram, R. Nagarajan and M. V. Khire** 3187

Quantitative accuracy assessment of contextually filtered classified images **P. M. Zukowskyj, M. A. Bussell, C. Power and R. M. Teeuw** 3203

A generalized confusion matrix for assessing area estimates from remotely sensed data **H. G. Lewis and M. Brown** 3223

Split-window and multi-angle methods of sea surface temperature determination: an analysis **K. Mathew, C. M. Nagarani and A. S. Kirankumar** 3237

Remote Sensing Letter

Oceansat-MSMR imaging of the Antarctic and the Southern Polar Ocean **M. K. Dash, S. M. Bhandari, N. K. Vyas, N. Khare, A. Mitra and P. C. Pandey** 3253

NUMBER 17

Cover. Ocean colour and SST measurements with Chinese FY-1C satellite **W. Huang** 3261

Editorial **A. P. Cracknell** 3265

Establishing snowmelt runoff simulating model using remote sensing data and GIS in the west of China **J. Wang and W. Li** 3267

A prototype MODIS–SSM/I snow-mapping algorithm **A. B. Tait, J. S. Barton and D. K. Hall** 3275

A combined microwave/infrared rain rate algorithm **S. W. Miller, P. A. Arkin and R. Joyce** 3285

Measurement of atmospheric water vapour content over a tropical location by dual frequency microwave radiometry **P. K. Karmakar, M. Rahaman and A. K. Sen** 3309

Extraction of polymetallic mineralization information from multispectral Thematic Mapper data using the Gram–Schmidt Orthogonal Projection (GSOP) method **J. Ma, H. Guo, C. Wang, G. Chen and V. Singhroy** 3323

Detection of urban housing development by fusing multisensor satellite data and performing spatial feature post-classification **Y. Zhang** 3339

Technical note. A procedure for obtaining green plant cover: relation to NDVI in a case study for barley **A. Calera, C. Martínez and J. Meliá** 3357

A method of modifying error for non-synchronicity of grass yield remote sensing estimation and measurement **L.-C. Han** 3363

Influence of plant pigments on spectral reflectance of maize, groundnut and soybean grown in semi-arid environments **G. Suryanarayana Reddy, C. L. Narasimha Rao, L. Venkataratnam and P. V. Krishna Rao** 3373

Spatial scale variations in vegetation indices and above-ground biomass estimates: implications for MERIS **F. van der Meer, W. Bakker, K. Scholte, A. Skidmore, S. de Jong, J. Clevers, E. Addink and G. Epema** 3381

Land cover changes around a major east African wildlife reserve: the Mara Ecosystem (Kenya) **S. Serneels, M. Y. Said and E. F. Lambin** 3397

Exploring spectral discrimination of grass species in African rangelands **K. S. Schmidt and A. K. Skidmore** 3421

Quantifying processes of land-cover change by remote sensing: resettlement and rapid land-cover changes in south-eastern Zambia **C. Petit, T. Scudder and E. Lambin** 3435

Automated rangeland vegetation cover and density estimation using ground digital images and a spectral–contextual classifier **Q. Zhou and M. Robson** 3457

Conifer species recognition: effects of data transformation **P. Gong, R. Pu and B. Yu** 3471

ENSO drought onset prediction in northeast Brazil using NDVI **W. T. Liu and R. I. Negrón Juárez** 3483

Sensitivity of vegetation indices to substrate brightness in hyper-arid environment: the Makhtesh Ramon Crater (Israel) case study **H. Schmidt and A. Karnieli** 3503

On the relationship between thermodynamic surface temperature and high-frequency (37 GHz) vertically polarized brightness temperature under semi-arid conditions **M. Owe and A. A. van de Griend** 3521

Testing LiSK BRDF models over a semi-arid grassland region with visible and near-infrared ATSR-2 and AVHRR data **M. J. Chopping** 3533

A simple method to account for topography in the radiometric correction of radar imagery **G. Leclerc, N. Beaulieu and F. Bonn** 3553

An area-based accuracy assessment methodology for digital change maps **K. Lowell** 3571

Extension of environmental parameters over the land surface by improved fuzzy classification of remotely sensed data **F. Maselli** 3597

Technical note. Sodar studies of some atmospheric boundary layer parameters during a solar eclipse **L. K. Bandyopadhyay, B. S. Gera, N. Saxena, S. K. Sinha, H. D. Pandey and P. Kumar** 3611

Remote Sensing Letter

A method for the correction of AVHRR onboard IR calibration in the event of short-term radiative contamination **A. P. Trishchenko and Z. Li** 3619

NUMBER 18

Cover 3625

The effects of speckle reduction on classification of ERS SAR data **D. Capstick and R. Harris** 3627

Technical note. Simplified radar mapping equations for terrain correction of space-borne SAR images **W. G. Rees and A. M. Steel** 3643

Clear-cut detection using ERS interferometry **G. Smith and J. Askne** 3651

Analysis of space-borne SAR data for wetland mapping in Virginia riparian ecosystems **L. L. Bourgeau-Chavez, E. S. Kasischke, S. M. Brunzell, J. P. Mudd, K. B. Smith and A. L. Frick** 3665

Detection of buried ancient walls using airborne thermal video radiometry **E. Ben-Dor, M. Kochavi, L. Vinizki, M. Shionim and J. Portugali** 3689

Analysis of thermal infrared data from the Digital Airborne Imaging Spectrometer **C. Coll, V. Caselles, E. Rubio, F. Sospedra and E. Valor** 3703

A mono-window algorithm for retrieving land surface temperature from Landsat TM data and its application to the Israel-Egypt border region **Z. Qin, A. Karnieli and P. Berliner** 3719

Passive microwave emission from smooth bare soils: developing a simple model to predict near surface water content **E. J. Burke and L. P. Simmonds** 3747

Spectral analysis and classification of metamorphic rocks from laboratory reflectance spectra in the 0.4–2.5 μm interval: a tool for hyperspectral data interpretation **I. Longhi, M. Sgavetti, R. Chiari and C. Mazzoli** 3763

Assessment of the effectiveness of desertification rehabilitation measures in Yulin, northwestern China using remote sensing **J. Gao, Y. Zha and S. Ni** 3783

Estimation of potential forest productivity across the Oregon transect using satellite data and monthly weather records **N. C. Coops, R. H. Waring and J. J. Landsberg** 3797

Landscape cover dynamics pattern in Meghalaya **P. S. Roy and S. Tomar** 3813

Spatial patterns of NDVI in response to precipitation and temperature in the central Great Plains **J. Wang, K. P. Price and P. M. Rich** 3827

30-second degree grid land cover classification of Asia **C. G. Wen and R. Tateishi** 3845

Cloud cover in Landsat observations of the Brazilian Amazon **G. P. Asner** 3855

Remote Sensing Letters

Spectral and spatial artifacts from the use of desktop scanners for remote sensing **C. Coburn, A. Roberts and K. Bach** 3863

Digital change detection with the aid of multiresolution wavelet analysis **L. M. T. Carvalho, L. M. G. Fonseca, F. Murtagh, J. G. P. W. Clevers** 3871

Synergistic analysis of SeaWiFS chlorophyll concentration and NOAA-AVHRR SST features for exploring marine living resources **H. U. Solanki, R. M. Dwivedi and S. R. Nayak** 3877

An AOTF-based hyperspectral imaging system for field use in ecophysiological and agricultural applications **Y. Inoue and J. Peñuelas** 3883

An ATSR-2 Mosaic Image of Australia **P. J. Turner, A. J. Prata, R. T. Howden, N. R. Houghton and A. Taylor** 3889

Variogram analysis of high spatial resolution remote sensing data: An examination of boreal forest ecosystems **P. Treitz** 3895

Estimation of velocity fields at the estuary—coastal interface through statistical analysis of successive airborne remotely sensed images **R. D. Hedger, T. J. Malthus and A. M. Folkard** 3901

Abnormal features of the Pacific wind system during the 1997–1998 El Niño **G. Chen, R. Ezraty, Y. He and C. Fang** 3907

Index of authors (with titles of papers) 3913